



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/912,721	07/24/2001	Song Chen	9824-067-999	5513
38881	7590 12/27/2004		EXAMINER	
DARBY & I			LEE, JO	OHN J
P.O. BOX 5257 NEW YORK, NY 10150-5257			ART UNIT	PAPER NUMBER
			2684	

DATE MAILED: 12/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	09/912,721	CHEN ET AL.			
Office Action Summary	Examiner	Art Unit			
•	JOHN J LEE	2684			
The MAILING DATE of this communication	I				
Period for Reply	ruppears on the outer enter than	. and convergence dual coo			
A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICATION Extensions of time may be available under the provisions of 37 Content after SIX (6) MONTHS from the mailing date of this communication If the period for reply specified above is less than thirty (30) days, If NO period for reply is specified above, the maximum statutory properties to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a repon. a reply within the statutory minimum of thirty epiriod will apply and will expire SIX (6) MONT estatute, cause the application to become ABA	oly be timely filed (30) days will be considered timely. HS from the mailing date of this communication NDONED (35 U.S.C. § 133),	on.		
Status					
1) Responsive to communication(s) filed on	12 August 2004				
<u> </u>	This action is non-final.				
3) Since this application is in condition for all		rs prosecution as to the merits	is		
closed in accordance with the practice un					
	20. 2n parto quajro, 1111 1111	,			
Disposition of Claims					
4) ⊠ Claim(s) <u>1-47</u> is/are pending in the application 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-8,10-17,19,20,22-27,31-37,39-7)</u> ⊠ Claim(s) <u>9,18,21,28-30,38 and 46</u> is/are of 8) □ Claim(s) are subject to restriction as	ndrawn from consideration. 45 and 47 is/are rejected. bjected to.				
Application Papers					
9) The specification is objected to by the Exa	miner.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to	the drawing(s) be held in abeyand	e. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the co	orrection is required if the drawing(s) is objected to. See 37 CFR 1.121	(d).		
11)☐ The oath or declaration is objected to by the	e Examiner. Note the attached	Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	ments have been received. ments have been received in Ap priority documents have been r ureau (PCT Rule 17.2(a)).	plication No eceived in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) 🗌 Interview St	mmary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-94)	8) Paper No(s)	Mail Date			
Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date	B/08) 5) Notice of Inf 6) Other:	ormal Patent Application (PTO-152) -·			

Art Unit: 2684

DETAILED ACTION

1. Applicant's arguments with respect to claims 1-47 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-8, 10-17, 19, 20, 22-27, 31-37, 39-45, and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bouis et al. (US Patent number 6,741,608) in view of Merritt et al. (US Patent number 6,192,250).

Regarding **claims 1 and 31**, Bouis discloses that a wireless communication system for hosting a plurality of processes (420, 430, 440 in Fig. 4), each process in said plurality of processes executed in accordance with a optimizes conversion, the optimizes conversion including a set of functions (Fig. 4, abstract, and column 3, lines 13 – 46). Bouis teaches that a plurality of application specific instruction (controller determines and places the modules into the series in an order) set processors (ASISP) (420, 430, 440 in Fig. 4), each ASISP capable of executing a subset of said set of functions included in said optimizes conversion (column 2, lines 12 – column 3, lines 12 and Fig. 4, 6, where teaches the transcoding controller selects and places the modules into the series in an order that optimizes conversion (according to speed, cost, fidelity, load or by any other

Art Unit: 2684

desired measure)). Bouis teaches that a scheduler (transcoding controller (410) in Fig. 4) connected to said plurality of ASISPs for scheduling said plurality of ASISPs in accordance with a time-slicing algorithm (optimal serious order) so that each process in said plurality of processes is supported by said wireless communication system (column 6, lines 23 – column 7, lines 3, Fig. 4, 6, and column 2, lines 12 – column 3, lines 12, where teaches the transcoding controller compares the path system loads to determine which path will produce the least amount of load on the system and capable of using optimal series of streaming conversion modules concurrently to convert positions of the data stream from source format to destination format). Bouis does not exactly disclose the limitation "the wireless communication system". However, this would have been obvious to one having ordinary skill in the art at the time of applicant's invention, because the Bouis teaches the telephone communications over the telephone network (see column 4, lines 30-40), more specifically, the telephone communication network uses GSM system as like wireless mobile communication system and the principle work is same in wire and wireless communication system.

However, Bouis does not specifically disclose the limitation "the wireless communication system has a plurality of processors executed in accordance with a communication protocol". However, Merritt discloses the limitation "the wireless communication system has a plurality of processors executed in accordance with a communication protocol" (Fig. 2, 3 and column 4, lines 47 – column 5, lines 65, where teaches a communication system (AT&T network or AT&T communication system (wireless or wireline)) has a plurality of processors (27s in Fig. 2) for executing in a

Art Unit: 2684

accordance with communication protocol). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the Bouis system as taught by Merritt, provide the motivation to achieve enhancing communication adaptability in communication network.

Regarding claims 2 and 32, Bouis and Merritt disclose all the limitation, as discussed in claim 1. Furthermore, Bouis further discloses that each said ASISP further comprises an input register for receiving an input program and state associated with a process in said plurality of processes (column 1, lines 35 – 65, Fig. 4, and column 2, lines 13 – 46), each instruction in said input program being part of a limited purpose instruction set that supports said subset of functions included in said communication protocol (column 2, lines 13 – column 3, lines 21 and Fig. 4). Bouis teaches that an output register for storing a value that indicates a state of said process after execution of said input program (column 2, lines 13 – column 3, lines 46 and Fig. 4).

Regarding **claims 3 and 33**, Bouis and Merritt disclose all the limitation, as discussed in claim 1. Furthermore, Bouis further discloses that the input program is associated with a first process selected from said plurality of processes (column 2, lines 13 – column 3, lines 46 and Fig. 4). Bouis teaches that said time-slicing algorithm includes a step of allocating a selected ASISP in said plurality of ASISPs to said input program for a predetermined period of time (column 6, lines 23 – column 7, lines 3, Fig. 4, 6, and column 2, lines 12 – column 3, lines 12).

Regarding claim 4, Bouis discloses that the input program is not interrupted by said scheduler during said predetermined period of time (Fig. 4, 5 and column 7, lines 10 - 64).

Regarding **claims 5 and 34**, Bouis discloses that execution of said input program is completed during said predetermined period of time (Fig. 4, 5 and column 6, lines 23 – column 7, lines 24).

Regarding **claims 6 and 35**, Bouis and Merritt disclose all the limitation, as discussed in claim 1. Furthermore, Bouis further discloses that the scheduler further includes a synchronization mechanism for synchronizing said plurality of ASISPs, the synchronization mechanism capable of reallocating an ASISP in said plurality of ASISPs from a first input program that is associated with a first process to a second input program that is associated with a second process (column 6, lines 23 – column 7, lines 3, Fig. 4, 6, and column 2, lines 12 – column 3, lines 12).

Regarding **claims 7 and 36**, Bouis discloses that the first process is a first echo and said second process is a second echo (column 2, lines 12 – column 3, lines 46 and Fig. 4, 6).

Regarding **claims 8 and 37**, Bouis and Merritt disclose all the limitation, as discussed in claim 1. Furthermore, Bouis further discloses that the first process is each echo associated with a first mobile and said second process is each echo associated with a second mobile (column 2, lines 12 – column 3, lines 46 and Fig. 4, 6).

Regarding claims 10 and 39, Bouis discloses that including a plurality of memory modules, each memory module in said plurality of memory modules associated with a

Art Unit: 2684

different ASISP selected from said plurality of ASISPs (column 5, lines 30 – column 6, lines 52 and Fig. 3, 4).

Regarding **claims 11 and 40**, Bouis discloses that the state of said process stored in said output register is stored in a unique segment of said different memory module, the unique segment of said memory module being determined by an identity of said process (column 5, lines 30 – column 6, lines 52 and Fig. 3, 4).

Regarding **claims 12 and 41**, Bouis discloses that the output register is further used to store a process identifier value that provides said identity of said process (column 5, lines 30 – column 6, lines 52 and Fig. 3, 4, 6).

Regarding **claims 13 and 42**, Bouis and Merritt disclose all the limitation, as discussed in claim 1. However, Bouis does not specifically disclose the limitation "communication protocol is selected from the group consisting of IS-95 CDMA, IS-95B CDMA, CDMA TIA IS2000, TIA IS 2000A, wideband CDMA (WCDMA), cdma2000, and ARIB WCDMA". However, Merritt discloses the limitation "communication protocol is selected from the group consisting of IS-95 CDMA, IS-95B CDMA, CDMA TIA IS2000, TIA IS 2000A, wideband CDMA (WCDMA), cdma2000, and ARIB WCDMA" (Fig. 2, 3 and column 4, lines 47 – column 5, lines 65, where teaches a communication system (AT&T network or AT&T communication system (wireless or wireline)) has a plurality of processors (27s in Fig. 2) for executing in a accordance with communication protocol such that CDMA, WCDMA, TDMA etc). It would have been obvious to one having ordinary skill in the art at the time the invention was made to

Art Unit: 2684

modify the Bouis system as taught by Merritt, provide the motivation to achieve enhancing communication adaptability in communication network.

Regarding **claims 14 and 43**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 13.

Regarding **claim 15**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 13.

Regarding **claim 16**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 13.

Regarding **claim 17**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 13. Furthermore, Bouis discloses that the ASISP is a finger ASISP and said subset of functions comprises a delay lock loop (DLL) and a channel estimation (column 2, lines 26 – 46, Fig. 4, 6, and column 5, lines 54 – column 6, lines 52).

Regarding **claims 19 and 44**, Bouis discloses that each process in said plurality of processes is an echo (column 2, lines 12 – column 3, lines 46 and Fig. 4, 6).

Regarding **claims 20 and 45**, Bouis discloses that each process in said plurality of processes uniquely corresponds to a different mobile hosted by said wireless communication system and each said process combines a plurality of echoes associated with the corresponding different mobile (Fig. 4, 6 and column 5, lines 54 – column 6, lines 52).

Regarding claims 22 and 47, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 2. Bouis further discloses that each instruction in said limited

Art Unit: 2684

purposed instruction set includes an arithmetic logic unit field, a load field, and a load/store field (Fig. 4, 6 and column 5, lines 54 – column 6, lines 52).

Regarding claim 23, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 2. Bouis further discloses that providing a centralized controller (transcoding controller (410) in Fig. 4) for sending control commands to each said ASISP in said plurality of ASISPs (column 2, lines 12 – column 3, lines 46 and Fig. 4, 6, where teaches the transcoding controller selects and places the modules into the series in an order (instructions) that optimizes conversion

Bouis teaches that the centralized controller schedules the functions calculated by each said ASISP in said plurality of ASISPs in a master/slave relationship, thereby reducing said amount of inter-process overhead between said computing components in said device (column 6, lines 23 – column 7, lines 3, Fig. 4, 6, and column 2, lines 12 – column 3, lines 12, where teaches the transcoding controller compares the path system loads to determine which path will produce the least amount of load on the system and capable of using optimal series of streaming conversion modules concurrently to convert positions of the data stream from source format to destination format).

Regarding **claim 24**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 23.

Regarding **claim 25**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 2. Bouis further discloses that the process state information describes a state of said communication process (column 2, lines 12 – column 3, lines 46 and Fig. 4, 6).

Art Unit: 2684

Regarding **claim 26**, Bouis and Merritt disclose all the limitation, as discussed in claims 1 and 2. Bouis further discloses that each said ASISP in said plurality of ASISPs receives input from non-scheduling control blocks in said communication architecture in addition to said scheduling commands from said centralized controller (column 2, lines 12 – column 3, lines 46 and Fig. 4, 6).

Regarding **claim 27**, Bouis and Merritt disclose all the limitation, as **discussed** in claims 1 and 3. Bouis further discloses that the scheduling scheme is a time-slicing algorithm that allocates computational tasks to each ASISP is said plurality of ASISPs in a time-sliced fashion (column 6, lines 23 – column 7, lines 3, Fig. 4, 6, and column 2, lines 12 – column 3, lines 12).

Allowable Subject Matter

4. Claims 9, 18, 21, 28-30, 38, and 46 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The prior art of record fails to disclose "the limited purpose instruction set includes a "wait" instruction for synchronization, and each application specific instruction set processors (ASISP) in said plurality of ASISPs is configured so that when said "wait" instruction is received by said input register, the ASISP does execute a communication protocol function during said predetermined period of time and then automatically returns to an idle state thereby reducing a power consumption of the ASISP during the predetermined period of time, and the ASISP is a combiner ASISP and said subset of

functions comprises a frequency error estimation, a finger energy estimation, and a signal-to-interference (SIR) estimation, and each said ASISP in said plurality of ASISPs is capable of executing said subset of said set of functions on a time-scale of about 400 to about 5,000 times per second" as specified in the claims.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Buskens et al. (US Patent number 6,421,429) discloses Cluster Mobile Switching Center.

Sakai et al. (US 6,751,478) discloses Mobile Service Switch, Home Memory Node, and Gateway Switch.

Information regarding...Patent Application Information Retrieval (PAIR) system... at 866-217-9197 (toll-free)."

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231

or faxed to:

(703) 308-9051, (for formal communications intended for entry)

Or:

(703) 308-6606 (for informal or draft communications, please label "PROPOSED" or "DRAFT").

Art Unit: 2684

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA., Sixth Floor (Receptionist).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **John J. Lee** whose telephone number is (703) 306-5936. He can normally be reached Monday-Thursday and alternate Fridays from 8:30am-5:00 pm. If attempts to reach the examiner are unsuccessful, the examiner's supervisor, **Nay Aung Maung**, can be reached on (703) 308-7745. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-4700.

J.L December 20, 2004

SUPERVISORY PATENT EXAMINER

John J Lee